





















## BLACK FLASH® DRYERS

The Black Flash® Series is The Industry Standard For Flash Curing Inks On Textiles and Other Substrates. This Dryer Includes A 5-Star Base Stand, Casters, 10 ft. Power Cord, On/Off Switch, and A Power Indicator Light. Accessories May Be Added At Any Time (see page 2). CE Available, Please Contact Our Office.

**3 YEAR WARRANTY ON ELEMENTS.  
SAME OR NEXT DAY SHIPMENT.**

Model No	Element Size	Volts	Watts	Amps	Plug Type	Shipping Weight	Price
BF1-1600SD	16" x 16"	120	1575	13.2	NEMA 5-15P 	50 lbs.	\$625.00
BF1-1800SD	16" x 16"	240	1873	7.8	NEMA 6-20P 	50 lbs.	\$650.00
BF2-2000SD	18" x 18"	120	1941	16.2	NEMA 5-20P 	52 lbs.	\$700.00
BF2-2200SD	18" x 18"	120	2223	18.5	NEMA 5-20P 	52 lbs.	\$725.00
BF2-2600SD	18" x 18"	240	2708	11.3	NEMA 6-20P 	52 lbs.	\$750.00
BF2-2700SD	18" x 18"	208	2683	12.9	NEMA 6-20P 	52 lbs.	\$775.00
BF2-3400SD	18" x 18"	240	3383	14.1	NEMA 6-20P 	52 lbs.	\$800.00
BF3-3001SD	18" x 24"	240	3127	13.1	NEMA 6-20P 	62 lbs.	\$875.00
BF3-3600SD	18" x 24"	208	3546	17.0	NEMA 6-20P 	62 lbs.	\$900.00
BF3-4500SD	18" x 24"	240	4424	18.7	NEMA 6-20P 	62 lbs.	\$925.00
BF4-4000SD	24" x 24"	240	3958	16.5	NEMA 6-20P 	74 lbs.	\$1,000.00
BF4-5000SD	24" x 24"	208	4979	23.9	NEMA L6-30P 	74 lbs.	\$1,025.00
BF4-5200SD	24" x 24"	240	4948	21.0	NEMA L6-30P 	74 lbs.	\$1,050.00
BF5-5500SD	28" x 28"	240	5500	22.9	NEMA L6-30P 	84 lbs.	\$1,450.00

### WITH BUILT-IN HEAT CONTROL (stand included)

BF1-1800HC	16" x 16"	240	1873	7.8	NEMA 6-20P 	52 lbs.	\$700.00
BF2-3400HC	18" x 18"	240	3383	14.1	NEMA 6-20P 	54 lbs.	\$850.00
BF3-3001HC	18" x 24"	240	3127	13.1	NEMA 6-20P 	65 lbs.	\$925.00
BF3-4500HC	18" x 24"	240	4424	18.7	NEMA 6-20P 	65 lbs.	\$975.00





### FLOOR STAND OPTIONS (add to pricing above)

Model No	Description	Shipping Weight	Price (Adder)
BF12-SSK	Low Profile Leg Kit for All Black Flash models	10 lbs.	\$100.00
BF12-172HA	Precise Height Adjustment Mechanism for BF1 & BF2 models.	31 lbs.	\$100.00
BF12-174HA	Precise Height Adjustment Mechanism for BF3, BF4, & BF5 models.	40 lbs.	\$100.00



## HEAT CONTROLS

Black Flash<sup>®</sup> Heat Controls Attach To Any Existing Floor Stand and Controls Line Voltage From 0-100%. Includes 10 ft. Power Cord and Mounting Bracket.


Model No	For Use With	Maximum Amps	Rated Voltage	Plug Type	Shipping Weight	Price
HC-115	BF1-1600SD	15.0	120	NEMA 5-15P 	7 lbs.	\$250.00
HC-120	BF2-2000SD, BF2-2200SD	20.0	120	NEMA 5-20P 	7 lbs.	\$250.00
HC-218	BF1-1800SD, BF2-2600SD, BF2-2700SD	20.0	240	NEMA 6-20P 	7 lbs.	\$250.00
	BF2-3400SD, BF3-3001SD, BF3-3600SD					
	BF3-4500SD, BF4-4000SD					
HC-250	BF4-5000SD, BF4-5200SD, BF5-5500SD	25.0	240	NEMA L6-30P 	7 lbs.	\$350.00

**SAME OR NEXT DAY SHIPMENT**

## BLACK FLASH<sup>®</sup> ROTATORS

### Flash-A-Matic<sup>™</sup> or Flash Pneumatic

Transform Any Black Flash<sup>®</sup> Dryer Into A Foot-Pedaled Automatic. The Easily Adjusted Dwell Timer (0sec.-10min.) Provides "Hands-Free" Repeatability From Up to 15 ft. Away. It Has An Automatic and A Manual Mode.

Model No	Volts	Amps	Plug Type	Shipping Weight	Price
BFA-009FS	120	2.02	NEMA 5-15P 	40 lbs.	\$850.00

**NEW:** These Two Models Are Pneumatically Actuated Rotators For Your BBC Flash Heater. Model FPM-014FS Is Manually Operated With A Foot Pedal. Model FPA-014FS Operates Exactly Like The BFA-009FS And Rotates Your BBC Flash Heater Automatically With The Help Of A Dwell Timer. Both Models Attach To Any BBC Flash Stand.

FPM-014FS	N/A	COMPRESSED AIR	30-100 PSI	\$450.00
FPA-014FS	120	COMPRESSED AIR	30-100 PSI	\$650.00



### Step Saver<sup>™</sup> Arm




Take Control Of Your Flash From A Short Distance With This In-Expensive Arm. It's Lightweight and Adjustable From 24"-36" For 4, 6, or 8 Station Presses and It Will Fit Any Black Flash<sup>®</sup> Ever Made.

Model No	Shipping Weight	Price
BFSS-1	6 lbs.	\$50.00

**SAME OR NEXT DAY SHIPMENT**

## AFFORD-A-FLASH<sup>™</sup> DRYERS



Model No	Element Size	Watts	Volts	Amps	Plug Type	Shipping Weight	Price
LC1600	16" x 16"	1575	120	13.3	NEMA 5-15P 	34 lbs.	\$475.00
LC1800	16" x 16"	1850	240	7.7	NEMA 6-20P 	34 lbs.	\$500.00
LC2200	18" x 18"	2223	120	18.5	NEMA 5-20P 	37 lbs.	\$575.00
HCB-01	Bracket to allow acceptance of HC-120 Heat Control(not included)					1 lb.	\$20.00


This Low Cost Setup Satisfies The Basic Requirements For Start-Ups or Can Serve As A Backup System. The AFFORD-A-FLASH<sup>™</sup> Series Includes A 10 ft. Cord, Stand and Casters. It Does Not Have An Indicator Light or An On/Off Switch.

**SAME OR NEXT DAY SHIPMENT**



## AIR FLASH DRYERS



Pictured with  
foot pedal  
actuated  
rotator



A Combined Infrared and Pass Through Air Heater. Ideal for Quickly Flashing Water-Based and Discharge Inks. The Heating Element is 18" x 18" and A 5-Star Stand is Included. Every Unit Has A 0-100% Solid State Control. This Model is Often Paired With Our Flash-A-Matic<sup>™</sup> Rotator.

Model No	Volts	Amps	Plug Type	Shipping Weight	Price
AF2-4000	240	16.7	NEMA 5-20P 	40 lbs.	\$1,600.00
BFA-009FS	120	2.02	NEMA 5-15P 	40 lbs.	\$850.00
AIR FLASH AND FOOT PEDAL AUTOMATIC TOGETHER					\$2,450.00

**1 WEEK LEAD TIME**

## AUTO FLASH DRYERS



Our AUTOFLASH HEATER<sup>™</sup> With Adjustable Bracket Can Fit Many Automatic Presses Today. Each Model Includes One Black Flash<sup>®</sup> Heater and May Be Inserted At Any Print Head. The Bracket Will Fit Easily Onto The Floodbar and Will Shuttle Out Over The Platen As The Floodbar Moves. Lightweight, These Units Are Gentle On Your Press and Easily Moved. Every Unit Has a Built-In Heat Control With Leveling And Height Adjustments. Call Us Today To See If BBC's ABF Fits On Your Press.

Model No	Watts	Volts	Element Size	Shipping Weight	Price
ABF2-3400HC	3383	240	18" x 18"	27 lbs.	\$1,275.00
ABF3-3001HC	3127	240	18" x 24"	37 lbs.	\$1,375.00
ABF3-4500HC	4498	240	18" x 24"	37 lbs.	\$1,400.00

## LITTLE BUDDY<sup>™</sup> CONVEYOR DRYER

Compact, Lightweight and Versatile, the "Little Buddy<sup>™</sup>" is An Ideal Dryer for Start-Ups, Small Shops, Short Runs, and On-Site Jobs. Featuring Black Body<sup>®</sup> Heaters, "Hassle-Free" Belt Tracking Guide, and Single Point Power Connection, the "Little Buddy<sup>™</sup>" is Designed to Provide Years of Dependable, Trouble-Free Service. Three Year Warranty On Elements.

### LITTLE BUDDY<sup>™</sup> //



#### Specifications

L x W x H  
Belt Width  
Belt Drive Power Req.  
Belt Speed  
Chamber Length  
Capacity  
Heater Dimensions  
Heater Wattage  
Heater Power Req.  
Heater Plug Type  
Approx. Shipping Weight

**Price, FOB Pacific, MO**

Model No.

**LB09-2000**

64"x28"x46"

18"

120 VAC

1-12 FPM

30"

72 shirts/hr.

18" x 24"

1941

120 VAC/16.2 A

NEMA 5-20P Ⓢ

305 lbs.

**\$2,150.00**

Model No.

**LB09-3000**

64"x28"x46"

18"

240 VAC

1-12 FPM

30"

96 shirts/hr.

18" x 24"

2992

240 VAC/12.5 A

NEMA 6-20P Ⓢ

305 lbs.

**\$2,350.00**

#### Heat Controls

120V Heat Control

240V Heat Control

**\$250.00**(LB09-120)

**\$275.00**(LB09-240)

**NO CRATING FEE**

**1-3 DAY LEAD TIME**

## BIG BUDDY<sup>™</sup> CONVEYOR DRYER

### BIG BUDDY<sup>™</sup> ///

#### Model No

**BB08-6500**

Length

8 ft.

Belt Width

24"

Dryer Wattage

6500 total

Dryer Power Required

240 VAC / 27 A

Dryer Plug Type

NEMA L6-30P Ⓢ

Element Dimensions

(2) 18" x 24"

#### Heat Control

**Digital(New)**

Belt Drive Speeds

1-20 FPM

Belt Drive Power Required

Single Point Power

Belt Control

2 Button Digital Analog

Approx. Shipping Weight

382 lbs.

**Price**

**\$3,450.00**



New Digital Temperature Control !



#### Notable Features:

- Unmatched AUTO-PLATEAU<sup>™</sup> Technology for Greater Production, Wash-Fastness, and Even Heating.
- Can Full Cure 300 Garments an Hour of Plastisol Ink Impressions.
- "Hassle-Free" Belt Tracking Guide
- NO CRATING FEE. Shipped in 4 Boxes On Skid for Significant Freight Savings.

**1 WEEK LEAD TIME**





# Black Body®

SCREENPRINT & DIGITAL DRYERS

Price List  
Effective April 1, 2015

Price subject to change without notice

## FORCED AIR CONVEYORS



An All-in-One Compact Conveyor Dryer Designed For the Modern Printer. Forced Air, Digitally Controlled Elements, and A Digital Chamber Time Display Put You in Control of Any Ink.

### Controls



With This Switch, The Oven Adjusts To The Best Heat Profile For Either Water-Based/DTG Or Plastisol Ink

Model No	AIR-2408	AIR-3610
Length	8 ft.	10 ft.
Belt Width	24"	36"
Heat Control	Digital	Digital
Dryer Wattage	10.5 kW Max	16 kW Max
Dryer Power Required	240V 43.8A	240V 68A
Element Dimensions	(2) 18" x 24"	(2) 18" x 36"
Dryer Plug Type	Not supplied	Not supplied
Belt Drive Speeds	Digital 1-15 FPM	Digital 1-15 FPM
Approx. Shipping Weight	547 lbs.	647 lbs.
<b>Price</b>	<b>\$6,250.00</b>	<b>\$8,500.00</b>
Crating Charge	<b>\$150</b>	<b>\$150</b>

**2 WEEK LEAD TIME**

## DIGI-CURE™

A Larger Infrared and Convection Dryer Specifically for Greater Direct-to-Garment Production.

## Specifications

Model	AIR-2411-240V
Length	132"
Width	34"
Height	42"
Belt Width	24"
Belt Height	30.8"
Belt Speed Digital Control	1-16 FPM
Chamber Length	94"
Heating Elements	Combo IR/Convection
Heater Wattage	14500 Watts
Heater Power Req.	240 VAC, 62 Amps
Shipping Weight (Approx.)	779 lbs.
Heat & Speed Control	Digital
<b>Price</b>	<b>\$10,750.00</b>
Crating charge	<b>\$200</b>



**2 WEEK LEAD TIME**

**BBC**  
INDUSTRIES, INC.

5 Capper Drive  
Pacific, MO 63069  
800-654-4205  
Fax: 636-343-3952

Find us nationwide  
at a dealer near you!  
[www.bbcind.com](http://www.bbcind.com)

Member of  
**SGIA**  
Screenprinting & Graphic Imaging  
Association International




## WIDER CONVEYOR DRYERS

MORE OPTIONS FOR MORE PRODUCTION!

Model Number	Conveyor Width	Conveyor Length	Chamber Length	Belt Material	Wattage	Phase	Volts	Amps	Shipping Weight	Price
36T08-4	36"	8'	48"	Teflon	9,260/12,350	Single	208/240	44.52/51.46	703 lbs	\$6,500.00
36T10-4	36"	10'	48"	Teflon	9,260/12,350	Single	208/240	44.52/51.46	787 lbs	\$6,700.00
36T08-5	36"	8'	60"	Teflon	13,400/17,860	Single	208/240	64.42/74.42	703 lbs	\$6,900.00
36T10-5	36"	10'	60"	Teflon	13,400/17,860	Single	208/240	64.42/74.42	787 lbs	\$7,100.00
48T08-4	48"	8'	48"	Teflon	12,150/16,200	Single	208/240	58.41/67.50	703 lbs	\$7,250.00
48T10-4	48"	10'	48"	Teflon	12,150/16,200	Single	208/240	58.41/67.50	787 lbs	\$7,500.00
48T08-5	48"	8'	60"	Teflon	18,480/24,640	Three	208/240	51.36/59.34	703 lbs	\$7,750.00
48T10-5	48"	10'	60"	Teflon	18,480/24,640	Three	208/240	51.36/59.34	787 lbs	\$8,000.00

CHAMBER POSITION MAY BE CUSTOMIZED AT TIME OF ORDER TO ALLOW FOR THE ENTRANCE OR EXIT LENGTH YOU PREFER. (MINIMUM ENTRANCE AND EXIT LENGTH 12 INCHES.)

### Controls



### ALL MODELS COME WITH:


- Three-year Warranty on Elements
- Digital Temperature Control
- Completely Assembled, Crating Charge of \$200



### OPTIONS:

- 2 Belt Widths
- 8 ft. or 10 ft. Conveyor Bed
- Teflon or Stainless Steel Belt
- 208 Volt or 240 Volt Operation

**2 WEEK LEAD TIME**



## PLUGS (Male)

## MATCHING RECEPTACLES (Female)



NEMA 5-15P  
125V-15 amps



NEMA 5-20P  
125V-20 amps



NEMA L5-20P  
125V-20 amps



NEMA 6-20P  
250V-20 amps



NEMA L6-30P  
250V-30 amps



NEMA 5-15R  
125V-15 amps



NEMA 5-20R  
125V-20 amps



NEMA L5-20R  
125V-20 amps



NEMA 6-20R  
250V-20 amps



NEMA L6-30R  
250V-30 amps

## CONVEYOR DRYER HEATERS - STD SERIES



Ready-To-Use Infrared Panels Come In Standard Sizes With A J-Box On The Back and End Caps For Hanging or Positioning In Any Configuration. The J-Box Is Approximately 2" Deep and Allows Hard Wiring To Power By Others. Perfect For The DIY Design Or As A Replacement For OEM Conveyor Ovens.


Model No	Element Size	Watts	Volts	Amps	Heater Dimensions	Shipping Weight	Price
SP2400	12" x 24"	2520	240	10.5	12" x 24" x 5 1/2"	18 lbs.	\$375.00
SP3000	12" x 30"	3156	120/240	26.3/13.2	12" x 30" x 5 1/2"	22 lbs.	\$400.00
SP3600	12" x 36"	3780	120/240	31.5/15.8	12" x 36" x 5 1/2"	27 lbs.	\$450.00
SP4800	12" x 48"	5040	240/480	21/10.5	12" x 48" x 5 1/2"	32 lbs.	\$525.00

## CONVEYOR DRYER HEATERS-NL-SERIES



A Black Body® Heater Can Be Inserted Into Many OEM Conveyor Dryers. The End Caps On the NL Design Are Folded Over Flanges (see detail A). This Hanging Method Is Popular With Some OEM Conveyor Designs. This Model Has High Temperature Lead Wires Exiting The Back (see chart for number of leads for each heater) For Connections To Existing Terminals. One-Year Warranty.

Model No	Watts	Volts	Amps	Element Size	# of Elements	# of Leads	Heater Dimension	Ship Weight	Price
NL2-2400	2520	240	10.5	12 x 24	1	2	12x24x2 3/4	20 lbs.	\$375.00
NL3-3600	3780	120/240	26.3/13.2	12 x 18	2	4	12x36x2 3/4	30 lbs.	\$450.00
NL3-3616	3360	120/240	29.2/14	16 x 16	2	4	16x36x2 3/4	38 lbs.	\$475.00
NL4-4800	5040	240/480	21/10.5	12 x 24	2	4	12x48x2 3/4	40 lbs.	\$525.00
NL5-6000	6300	240/480	26.3/13.1	12 x 20	3	6	12x60x2 3/4	60 lbs.	\$625.00



See Detail-A-



Detail-A-

## HEATING ELEMENT PANELS

We Manufacture Hundreds Of Active Heating Element Configurations. Please Call Us Directly To Find A Specific Size, Voltage, Wattage, and Lead Wire Type.

## WIDE FORMAT DIGITAL DRYERS



A Maneuverable Dryer For Printing Faster With Your Large Format Printer. Ideal For Immediately Curing and Outgassing Solvent Inks. Don't Waste 24-48 Hours Waiting For Your Ink To Dry. You Can Go Straight To Lamination. The Digi-Dri<sup>™</sup> Comes In 6 Different Sizes and Is Safe For All Inks and Substrates. All Models Include A Heat Control. A Second Dryer Head Is Useful For Those Printing At Speeds Greater Than 200 Ft/Hr.

Note: 220V units do NOT include a plug.

Model No	Printer Width	Volts	Watts	Amps	Weight	Price	Price w/ Auto Shutoff
DD36-675-120V-DS	36in (.91m)	120	675	5.6	77 lbs.	\$1,225	\$1,600
DD54-1000-120V-DS	54in (1.37m)	120	1000	8.3	78 lbs.	\$1,834	\$2,215
DD54-1000-220V-DS	54in (1.37m)	220	1000	4.5	78 lbs.	\$2,070	\$2,450
DD64-1200-120V-DS	64in (1.62m)	120	1200	9.3	82 lbs.	\$2,080	\$2,460
DD64-1200-220V-DS	64in (1.62m)	220	1200	5.4	82 lbs.	\$2,440	\$2,820
DD72-1350-120V-DS	72in (1.82m)	120	1350	11.3	85 lbs.	\$2,325	\$2,710
DD72-1350-220V-DS	72in (1.82m)	220	1350	6.1	85 lbs.	\$2,560	\$2,950
DD108-2000-120V-DS	108in (2.74m)	120	2000	15.0	116 lbs.	\$3,060	\$3,440
DD108-2000-220V-DS	108in (2.74m)	220	2000	9.1	116 lbs.	\$3,280	\$3,660

### Kit For Adding Second Dryer Head to Stand - Includes Heater Head, Brackets, & Controls

DDH36-675-120V-DS	36in (.91m)	120	675	5.6	40 lbs.	\$765	\$1,145
DDH54-1000-120V-DS	54in (1.37m)	120	1000	8.3	42 lbs.	\$1,375	\$1,755
DDH54-1000-220V-DS	54in (1.37m)	220	1000	4.5	42 lbs.	\$1,375	\$1,755
DDH64-1200-120V-DS	64in (1.62m)	120	1200	9.3	45 lbs.	\$1,625	\$2,000
DDH64-1200-220V-DS	64in (1.62m)	220	1200	5.4	45 lbs.	\$1,625	\$2,000
DDH72-1350-120V-DS	72in (1.82m)	120	1350	11.3	48 lbs.	\$1,870	\$2,250
DDH72-1350-220V-DS	72in (1.82m)	220	1350	6.1	48 lbs.	\$1,875	\$2,250
DDH108-2000-120V-DS	108in (2.74m)	120	2000	15.0	71 lbs.	\$2,600	\$2,980
DDH108-2000-220V-DS	108in (2.74m)	220	2000	9.1	71 lbs.	\$2,825	\$3,200

**Auto Shutoff (Model No DDAS-1 ) is available separately for \$450**